

# SAFETY DATA SHEET

## ED7100-25 Ohm

According to Regulation (EC) No 1907/2006, Annex II, as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name ED7100-25 Ohm

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Printing ink.

Uses advised against No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

Supplier Electra Polymers Ltd  
Roughway Mill,  
Roughway Lane  
Tonbridge  
Kent TN11 9SG  
UK  
Tel: +44 1732 811118  
Fax: +44 1732 811119  
sds@electrapolymers.com

#### 1.4. Emergency telephone number

Emergency telephone +44 (0)1732 811 118 (08.30 - 17.00 GMT)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Eye Irrit. 2 - H319

Environmental hazards Not Classified

Classification (67/548/EEC or 1999/45/EC) Xi;R36.

Human health Irritating to eyes.

#### 2.2. Label elements

##### Pictogram



Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/ attention.

## ED7100-25 Ohm

**Supplementary precautionary statements** P264 Wash contaminated skin thoroughly after handling.

### 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

<b>2-(2-BUTOXYETHOXY)ETHANOL</b>		<b>30-60%</b>
CAS number: 112-34-5	EC number: 203-961-6	REACH registration number: 01-2119475104-44-XXXX
<b>Classification</b> Eye Irrit. 2 - H319	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R36	
<b>ISOPROPYL ALCOHOL</b>		<b>&lt;1%</b>
CAS number: 67-63-0	EC number: 200-661-7	
<b>Classification</b> Flam. Liq. 2 - H225 Eye Irrit. 2 - H319 STOT SE 3 - H336	<b>Classification (67/548/EEC or 1999/45/EC)</b> F;R11.	
<b>BUTANOL-norm</b>		<b>&lt;1%</b>
CAS number: 71-36-3	EC number: 200-751-6	
<b>Classification</b> Flam. Liq. 3 - H226 Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 STOT SE 3 - H335, H336	<b>Classification (67/548/EEC or 1999/45/EC)</b> R10 Xn;R22 Xi;R37/38,R41 R67	
<b>PHENOL</b>		<b>&lt;1%</b>
CAS number: 108-95-2	EC number: 203-632-7	
<b>Classification</b> Acute Tox. 3 - H301 Acute Tox. 3 - H311 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Muta. 2 - H341 STOT RE 2 - H373	<b>Classification (67/548/EEC or 1999/45/EC)</b> Muta. Cat. 3;R68 T;R23/24/25 C;R34 Xn;R48/20/21/22	

## ED7100-25 Ohm

<b>FORMALDEHYDE</b>		<b>&lt;1%</b>
CAS number: 50-00-0		EC number: 200-001-8
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Acute Tox. 3 - H301	Carc. Cat. 3;R40 T;R23/24/25 C;R34 R43	
Acute Tox. 3 - H311		
Acute Tox. 3 - H331		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Skin Sens. 1 - H317		
Carc. 2 - H351		
STOT SE 3 - H335		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments** The data shown are in accordance with the latest EC Directives.

#### SECTION 4: First aid measures

##### 4.1. Description of first aid measures

<b>General information</b>	No specific recommendations. Get medical attention if any discomfort continues.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Do not induce vomiting. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.

##### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	Treat symptomatically.
<b>Inhalation</b>	No specific symptoms known.
<b>Ingestion</b>	No specific symptoms known. May cause irritation.
<b>Skin contact</b>	No specific symptoms known.
<b>Eye contact</b>	Causes serious eye irritation.

##### 4.3. Indication of any immediate medical attention and special treatment needed

**Notes for the doctor** No specific recommendations.

#### SECTION 5: Firefighting measures

##### 5.1. Extinguishing media

<b>Suitable extinguishing media</b>	Extinguish with foam, carbon dioxide, dry powder or water fog.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

##### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** None.

## ED7100-25 Ohm

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

### 5.3. Advice for firefighters

**Protective actions during firefighting** No specific firefighting precautions known.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage.

### 6.2. Environmental precautions

**Environmental precautions** Do not discharge into drains or watercourses or onto the ground. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.

### 6.4. Reference to other sections

**Reference to other sections** Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** For personal protection, see Section 8.

**Advice on general occupational hygiene** Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash after use and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep away from heat, sparks and open flame. Store in tightly-closed, original container. Protect from freezing and direct sunlight.

**Storage class** Miscellaneous hazardous material storage.

### 7.3. Specific end use(s)

**Specific end use(s)** The identified uses for this product are detailed in Section 1.2.

## SECTION 8: Exposure Controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### **2-(2-BUTOXYETHOXY)ETHANOL**

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m<sup>3</sup>

#### **ISOPROPYL ALCOHOL**

## ED7100-25 Ohm

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

### BUTANOL-norm

Long-term exposure limit (8-hour TWA): WEL

Short-term exposure limit (15-minute): WEL 50 ppm 154 mg/m<sup>3</sup>

Sk

### PHENOL

Long-term exposure limit (8-hour TWA): WEL 2 ppm 7,8 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 4 ppm 16 mg/m<sup>3</sup>

Sk

### FORMALDEHYDE

Long-term exposure limit (8-hour TWA): WEL 2 ppm 2,5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 2 ppm 2,5 mg/m<sup>3</sup>

WEL = Workplace Exposure Limit

Sk = Can be absorbed through skin.

### 2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

#### DNEL

Industry - Inhalation; Short term : mg/m<sup>3</sup>

Industry - Dermal; Long term : 20 mg/kg/day

Industry - Inhalation; Long term : 67.5 mg/m<sup>3</sup>

#### PNEC

- Fresh water; 1 mg/l

- Marine water; 0.1 mg/l

- Sediment; 4 mg/kg

- Soil; 0.4 mg/kg

## 8.2. Exposure controls

### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

#### Eye/face protection

Wear eye protection. Wear face protection.

#### Hand protection

Wear protective gloves.

#### Other skin and body protection

Wear apron or protective clothing in case of contact.

#### Hygiene measures

Do not eat, drink or smoke when using this product. Use engineering controls to reduce air contamination to permissible exposure level. Wash after use and before eating, smoking and using the toilet. Provide eyewash station. Wash contaminated clothing before reuse.

#### Respiratory protection

No specific requirements are anticipated under normal conditions of use.

#### Environmental exposure controls

Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

## SECTION 9: Physical and Chemical Properties

### 9.1. Information on basic physical and chemical properties

#### Appearance

Paste.

**ED7100-25 Ohm**

<b>Colour</b>	Black.
<b>Odour</b>	Characteristic.
<b>Odour threshold</b>	Not determined.
<b>pH</b>	Not determined.
<b>Melting point</b>	Not determined.
<b>Initial boiling point and range</b>	231°C @
<b>Flash point</b>	116 based on solvent°C
<b>Evaporation rate</b>	Not determined.
<b>Evaporation factor</b>	Not determined.
<b>Flammability (solid, gas)</b>	Not determined.
<b>Upper/lower flammability or explosive limits</b>	Not determined.
<b>Other flammability</b>	Not determined.
<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Relative density</b>	1.2 @ 20 deg C @ °C
<b>Bulk density</b>	Not determined.
<b>Solubility(ies)</b>	Not determined.
<b>Partition coefficient</b>	Not determined.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	Kinematic viscosity > 20.5 mm <sup>2</sup> /s.
<b>Explosive properties</b>	Not considered to be explosive.
<b>Explosive under the influence of a flame</b>	No
<b>Oxidising properties</b>	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
<b>Comments</b>	Information given is applicable to the product as supplied.
<b><u>9.2. Other information</u></b>	
<b>Other information</b>	None.
<b>Refractive index</b>	Not determined.
<b>Particle size</b>	Not applicable.
<b>Molecular weight</b>	Not applicable.
<b>Volatility</b>	Not determined.
<b>Saturation concentration</b>	Not determined.
<b>Critical temperature</b>	Not determined.
<b>Volatile organic compound</b>	Not determined.

## ED7100-25 Ohm

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

**Possibility of hazardous reactions** Will not polymerise.

#### 10.4. Conditions to avoid

**Conditions to avoid** Keep away from heat, sparks and open flame. Avoid exposure to high temperatures or direct sunlight.

#### 10.5. Incompatible materials

**Materials to avoid** Strong alkalis. Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Acrid smoke or fumes. Oxides of carbon. Oxides of nitrogen.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

##### Skin corrosion/irritation

**Animal data** No information available.

**Human skin model test** No information available.

**Extreme pH** Based on available data the classification criteria are not met.

##### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye irritation.

##### Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

##### Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

##### Germ cell mutagenicity

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

##### Carcinogenicity

**Carcinogenicity** Based on available data the classification criteria are not met. Does not contain any substances known to be carcinogenic.

##### Reproductive toxicity

## ED7100-25 Ohm

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met. Does not contain any substances known to be toxic to reproduction.

**Reproductive toxicity - development** Based on available data the classification criteria are not met. Does not contain any substances known to be toxic to reproduction.

### Specific target organ toxicity - single exposure

**STOT - single exposure** Based on available data the classification criteria are not met.

### Specific target organ toxicity - repeated exposure

**STOT - repeated exposure** Based on available data the classification criteria are not met.

### Aspiration hazard

**Aspiration hazard** Based on available data the classification criteria are not met.

### **General information**

The product contains small amounts of organic solvents. Extensive use of the product in areas with inadequate ventilation may result in the accumulation of hazardous vapour concentrations.

**Inhalation** May cause respiratory system irritation.

**Ingestion** No specific health hazards known. May cause discomfort if swallowed.

**Skin contact** No specific health hazards known. May cause irritation.

**Eye contact** Causes serious eye irritation.

**Route of entry** Inhalation Skin absorption Skin and/or eye contact Ingestion

**Target organs** No specific target organs known.

**Medical symptoms** May cause discomfort if swallowed.

### Toxicological information on ingredients.

#### 2-(2-BUTOXYETHOXY)ETHANOL

##### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 2,410.0

**Species** Mouse

**ATE oral (mg/kg)** 2,410.0

##### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)** 2,764.0

**Species** Mouse

**ATE dermal (mg/kg)** 2,764.0

## SECTION 12: Ecological Information

### 12.1. Toxicity

**Acute toxicity - fish** Not determined.

**Acute toxicity - aquatic invertebrates** Not determined.

**Acute toxicity - aquatic plants** Not determined.



**ED7100-25 Ohm**

<b>Acute toxicity - microorganisms</b>	Not determined.
<b>Acute toxicity - terrestrial</b>	Not determined.
<b>Chronic toxicity - fish early life stage</b>	Not determined.
<b>Short term toxicity - embryo and sac fry stages</b>	Not determined.
<b>Chronic toxicity - aquatic invertebrates</b>	Not determined.

**Ecological information on ingredients.****2-(2-BUTOXYETHOXY)ETHANOL**

<b>Acute toxicity - fish</b>	LC50, 96 hours: > 100 mg/l, Leuciscus idus (Golden orfe)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: > 100 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	IC <sub>50</sub> , 72 hours: > 50 mg/l, Freshwater algae

**12.2. Persistence and degradability**

**Persistence and degradability** This product is not expected to be readily biodegradable.

<b>Phototransformation</b>	Not determined.
<b>Stability (hydrolysis)</b>	Not determined.
<b>Biodegradation</b>	Not determined.
<b>Biological oxygen demand</b>	Not determined.
<b>Chemical oxygen demand</b>	Not determined.

**12.3. Bioaccumulative potential**

<b>Bioaccumulative potential</b>	Not determined.
<b>Partition coefficient</b>	Not determined.

**12.4. Mobility in soil**

<b>Mobility</b>	The product contains substances which are water-soluble and may spread in water systems.
<b>Adsorption/desorption coefficient</b>	Not determined.
<b>Henry's law constant</b>	Not determined.
<b>Surface tension</b>	Not determined.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

**12.6. Other adverse effects**

**Other adverse effects** None known.

**SECTION 13: Disposal considerations**

## ED7100-25 Ohm

### 13.1. Waste treatment methods

<b>General information</b>	Waste is classified as hazardous waste.
<b>Disposal methods</b>	Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

### SECTION 14: Transport information

<b>General</b>	The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).
----------------	--

#### 14.1. UN number

#### 14.2. UN proper shipping name

#### 14.3. Transport hazard class(es)

#### 14.4. Packing group

#### 14.5. Environmental hazards

#### 14.6. Special precautions for user

#### 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
---	-----------------

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>National regulations</b>	Control of Substances Hazardous to Health Regulations 2002 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. Health and Safety at Work etc. Act 1974 (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.
<b>EU legislation</b>	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.
<b>Health and environmental listings</b>	None of the ingredients are listed.
<b>Authorisations (Title VII Regulation 1907/2006)</b>	No specific authorisations are known for this product.
<b>Restrictions (Title VIII Regulation 1907/2006)</b>	No specific restrictions on use are known for this product.

#### 15.2. Chemical safety assessment

## ED7100-25 Ohm

No chemical safety assessment has been carried out.

### SECTION 16: Other information

**Classification procedures according to Regulation (EC) 1272/2008** : Calculation method.

**Issued by** HS&E Manager.

**Revision date** 15/06/2017

**Revision** 5

**Supersedes date** 22/02/2017

**SDS number** 20259

**Risk phrases in full** R36 Irritating to eyes.

**Hazard statements in full**

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H373 May cause damage to organs through prolonged or repeated exposure.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.