

# SAFETY DATA SHEET

## EL16/1453 W LV

According to Regulation (EC) No 1907/2006, Annex II, as amended.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name EL16/1453 W LV

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Printing ink.

Uses advised against No specific uses advised against are identified.

#### 1.3. Details of the supplier of the safety data sheet

Supplier Electra Polymers Ltd  
Roughway Mill,  
Roughway Lane  
Tonbridge  
Kent TN11 9SG  
UK  
Tel: +44 1732 811118  
Fax: +44 1732 811119  
sds@electrapolymers.com

#### 1.4. Emergency telephone number

Emergency telephone +44 (0)1732 811 118 (08.30 - 17.00 GMT)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Environmental hazards Aquatic Chronic 3 - H412

Classification (67/548/EEC or 1999/45/EC) Xi;R36/38. R43.

**Human health** The product contains small amounts of organic solvents. Considered to be a low inhalation hazard at normal workplace temperatures. Causes serious eye irritation. Causes skin irritation. May cause skin sensitisation or allergic reactions in sensitive individuals.

**Environmental** The product contains a substance which is toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

#### 2.2. Label elements

##### Pictogram



Signal word Warning

**EL16/1453 W LV**

<b>Hazard statements</b>	H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H412 Harmful to aquatic life with long lasting effects.
<b>Precautionary statements</b>	P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P333+P313 If skin irritation or rash occurs: Get medical advice/ attention. P337+P313 If eye irritation persists: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.
<b>Contains</b>	Reaction product of Phenol formaldehyde novolac with Epichlorohydrin, EPOXY PHENOL NOVOLAK RESIN
<b>Supplementary precautionary statements</b>	P261 Avoid breathing vapour/ spray. P264 Wash contaminated skin thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P391 Collect spillage. P501 Dispose of contents/ container in accordance with national regulations.

**2.3. Other hazards**

This product does not contain any substances classified as PBT or vPvB. May cause skin sensitisation or allergic reactions in sensitive individuals.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>Reaction product of Phenol formaldehyde novolac with Epichlorohydrin</b> CAS number: 28064-14-4	<b>10-30%</b>
<b>Classification</b> Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R36/38. N;R51/53. R43.
<b>2-(2-BUTOXYETHOXY)ETHANOL</b> CAS number: 112-34-5                      EC number: 203-961-6	<b>10-30%</b>
<b>Classification</b> Eye Irrit. 2 - H319	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R36
REACH registration number: 01-2119475104-44-XXXX	

**EL16/1453 W LV**

<b>2-BUTOXYETHYL ACETATE</b>		<b>10-30%</b>
CAS number: 112-07-2	EC number: 203-933-3	REACH registration number: 01-2119475112-47-XXXX
<b>Classification</b> Acute Tox. 4 - H302 Acute Tox. 4 - H312	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R20/21	
<b>EPOXY PHENOL NOVOLAK RESIN</b>		<b>1-5%</b>
CAS number: 28064-14-4		
<b>Classification</b> Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317 Aquatic Chronic 2 - H411	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R36/38. N;R51/53. R43.	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

<b>General information</b>	Get medical attention if any discomfort continues. Treat symptomatically.
<b>Inhalation</b>	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Do not induce vomiting. Get medical attention if any discomfort continues.
<b>Skin contact</b>	Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing. Take off contaminated clothing and wash it before reuse.
<b>Eye contact</b>	Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.

**4.2. Most important symptoms and effects, both acute and delayed**

<b>General information</b>	Treat symptomatically.
<b>Inhalation</b>	No specific symptoms known. May cause respiratory irritation.
<b>Ingestion</b>	No specific symptoms known. May cause irritation.
<b>Skin contact</b>	Causes skin irritation. May cause sensitisation by skin contact.
<b>Eye contact</b>	Causes serious eye irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	No specific recommendations.
-----------------------------	------------------------------

**SECTION 5: Firefighting measures****5.1. Extinguishing media**

<b>Suitable extinguishing media</b>	Extinguish with foam, carbon dioxide, dry powder or water fog.
<b>Unsuitable extinguishing media</b>	Do not use water jet as an extinguisher, as this will spread the fire.

**5.2. Special hazards arising from the substance or mixture**

## EL16/1453 W LV

<b>Specific hazards</b>	None.
<b>Hazardous combustion products</b>	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
<b><u>5.3. Advice for firefighters</u></b>	
<b>Protective actions during firefighting</b>	No specific firefighting precautions known.
<b>Special protective equipment for firefighters</b>	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

### SECTION 6: Accidental release measures

#### **6.1. Personal precautions, protective equipment and emergency procedures**

<b>Personal precautions</b>	Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage.
-----------------------------	--

#### **6.2. Environmental precautions**

<b>Environmental precautions</b>	Do not discharge into drains or watercourses or onto the ground. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material.
----------------------------------	--

#### **6.3. Methods and material for containment and cleaning up**

<b>Methods for cleaning up</b>	Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.
--------------------------------	--

#### **6.4. Reference to other sections**

<b>Reference to other sections</b>	Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13.
------------------------------------	---

### SECTION 7: Handling and storage

#### **7.1. Precautions for safe handling**

<b>Usage precautions</b>	Avoid inhalation of vapours and spray/mists. Wear protective clothing, gloves, eye and face protection.
<b>Advice on general occupational hygiene</b>	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash after use and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas.

#### **7.2. Conditions for safe storage, including any incompatibilities**

<b>Storage precautions</b>	Keep away from heat, sparks and open flame. Store in tightly-closed, original container. Protect from freezing and direct sunlight.
<b>Storage class</b>	Miscellaneous hazardous material storage.

#### **7.3. Specific end use(s)**

<b>Specific end use(s)</b>	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

### SECTION 8: Exposure Controls/personal protection

#### **8.1. Control parameters**

##### **Occupational exposure limits**

**2-(2-BUTOXYETHOXY)ETHANOL**

## EL16/1453 W LV

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m<sup>3</sup>

### 2-BUTOXYETHYL ACETATE

Long-term exposure limit (8-hour TWA): WEL 20 ppm 133 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): WEL 50 ppm 332 mg/m<sup>3</sup>

Sk

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

### 2-(2-BUTOXYETHOXY)ETHANOL (CAS: 112-34-5)

<b>DNEL</b>	Industry - Inhalation; Short term : mg/m <sup>3</sup> Industry - Dermal; Long term : 20 mg/kg/day Industry - Inhalation; Long term : 67.5 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 1 mg/l - Marine water; 0.1 mg/l - Sediment; 4 mg/kg - Soil; 0.4 mg/kg

### 2-BUTOXYETHYL ACETATE (CAS: 112-07-2)

<b>Ingredient comments</b>	WEL = Workplace Exposure Limits
<b>DNEL</b>	Industry - Inhalation; Long term systemic effects: 133 mg/m <sup>3</sup> Industry - Inhalation; Short term systemic effects: 775 Industry - Inhalation; Short term local effects: 333 mg/m <sup>3</sup> Industry - Dermal; Long term systemic effects: 102 mg/kg/day Industry - Dermal; Short term systemic effects: 102 mg/kg/day
<b>PNEC</b>	- Fresh water; .304 mg/l - Marine water; .0304 mg/l - Intermittent release; .56 mg/l - STP; 90 mg/l - Sediment (Freshwater); 2.03 mg/kg - Sediment (Marinewater); .203 mg/kg - Soil; .68 mg/kg

## 8.2. Exposure controls

### Protective equipment



### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

### Eye/face protection

Wear eye protection.

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Butyl rubber. Nitrile rubber. Neoprene. Polyvinyl chloride (PVC). Laminate of polyethylene and ethylene vinyl alcohol (PE/EVOH).

### Other skin and body protection

Wear apron or protective clothing in case of contact.

## EL16/1453 W LV

<b>Hygiene measures</b>	Do not eat, drink or smoke when using this product. Use engineering controls to reduce air contamination to permissible exposure level. Wash after use and before eating, smoking and using the toilet. Provide eyewash station. Wash contaminated clothing before reuse.
<b>Respiratory protection</b>	No specific requirements are anticipated under normal conditions of use.
<b>Environmental exposure controls</b>	Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Prevent spillage entering a watercourse or sewer, contaminating soil or vegetation. If this is not possible notify police and appropriate authorities immediately.

### SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Liquid.
<b>Colour</b>	White.
<b>Odour threshold</b>	Not determined.
<b>pH</b>	Not determined.
<b>Melting point</b>	Not determined.
<b>Initial boiling point and range</b>	Not determined.
<b>Flash point</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Evaporation factor</b>	Not determined.
<b>Flammability (solid, gas)</b>	Not determined.
<b>Upper/lower flammability or explosive limits</b>	Not determined.
<b>Other flammability</b>	Not determined.
<b>Vapour pressure</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Relative density</b>	Not determined.
<b>Bulk density</b>	Not determined.
<b>Solubility(ies)</b>	Not determined.
<b>Partition coefficient</b>	Not determined.
<b>Auto-ignition temperature</b>	Not determined.
<b>Decomposition Temperature</b>	Not determined.
<b>Viscosity</b>	Kinematic viscosity > 20.5 mm <sup>2</sup> /s.
<b>Explosive properties</b>	Not considered to be explosive.
<b>Explosive under the influence of a flame</b>	No
<b>Oxidising properties</b>	The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising.
<b>Comments</b>	Information given is applicable to the product as supplied.

#### 9.2. Other information

## EL16/1453 W LV

<b>Other information</b>	None.
<b>Refractive index</b>	Not determined.
<b>Particle size</b>	Not applicable.
<b>Molecular weight</b>	Not applicable.
<b>Volatility</b>	Not determined.
<b>Saturation concentration</b>	Not determined.
<b>Critical temperature</b>	Not determined.
<b>Volatile organic compound</b>	Not determined.

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

#### 10.2. Chemical stability

**Stability** Stable at normal ambient temperatures and when used as recommended.

#### 10.3. Possibility of hazardous reactions

#### 10.4. Conditions to avoid

**Conditions to avoid** Keep away from heat, sparks and open flame. Avoid exposure to high temperatures or direct sunlight.

#### 10.5. Incompatible materials

**Materials to avoid** Strong alkalis. Strong oxidising agents. Strong acids.

#### 10.6. Hazardous decomposition products

**Hazardous decomposition products** Thermal decomposition or combustion products may include the following substances: Acrid smoke or fumes. Oxides of nitrogen. Oxides of carbon.

### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

##### Acute toxicity - oral

**Notes (oral LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE oral (mg/kg)** 18,202.94

##### Acute toxicity - dermal

**Notes (dermal LD<sub>50</sub>)** Based on available data the classification criteria are not met.

**ATE dermal (mg/kg)** 14,523.63

##### Acute toxicity - inhalation

**Notes (inhalation LC<sub>50</sub>)** Based on available data the classification criteria are not met.

##### Skin corrosion/irritation

**Animal data** No information available.

**Human skin model test** No information available.

**Extreme pH** Based on available data the classification criteria are not met.

##### Serious eye damage/irritation

**Serious eye damage/irritation** Causes serious eye irritation.

**EL16/1453 W LV****Respiratory sensitisation**

**Respiratory sensitisation** Based on available data the classification criteria are not met.

**Skin sensitisation**

**Skin sensitisation** Sensitising.

**Germ cell mutagenicity**

**Genotoxicity - in vitro** Based on available data the classification criteria are not met.

**Genotoxicity - in vivo** Based on available data the classification criteria are not met.

**Carcinogenicity**

**Carcinogenicity** Based on available data the classification criteria are not met. Does not contain any substances known to be carcinogenic.

**Reproductive toxicity**

**Reproductive toxicity - fertility** Based on available data the classification criteria are not met. Does not contain any substances known to be toxic to reproduction.

**Reproductive toxicity - development** Based on available data the classification criteria are not met. Does not contain any substances known to be toxic to reproduction.

**Specific target organ toxicity - single exposure**

**STOT - single exposure** Based on available data the classification criteria are not met.

**Specific target organ toxicity - repeated exposure**

**STOT - repeated exposure** Based on available data the classification criteria are not met.

**Aspiration hazard**

**Aspiration hazard** Based on available data the classification criteria are not met.

**General information**

The product contains small amounts of organic solvents. Extensive use of the product in areas with inadequate ventilation may result in the accumulation of hazardous vapour concentrations.

**Inhalation** No specific health hazards known. May cause respiratory system irritation.

**Ingestion** No specific health hazards known. May cause discomfort if swallowed.

**Skin contact** May cause sensitisation by skin contact.

**Eye contact** Causes serious eye irritation.

**Acute and chronic health hazards** May cause skin sensitisation or allergic reactions in sensitive individuals.

**Route of entry** Inhalation Skin absorption Skin and/or eye contact Ingestion

**Target organs** No specific target organs known.

**Medical symptoms** Symptoms following overexposure may include the following: Allergic rash. May cause discomfort if swallowed.

**Medical considerations** May cause allergic contact eczema.

**Toxicological information on ingredients.****2-(2-BUTOXYETHOXY)ETHANOL****Acute toxicity - oral**



**EL16/1453 W LV**

**Acute toxicity oral (LD<sub>50</sub>  
mg/kg)** 2,410.0

**Species** Mouse

**ATE oral (mg/kg)** 2,410.0

**Acute toxicity - dermal**

**Acute toxicity dermal (LD<sub>50</sub>  
mg/kg)** 2,764.0

**Species** Mouse

**ATE dermal (mg/kg)** 2,764.0

**2-BUTOXYETHYL ACETATE****Acute toxicity - oral**

**Acute toxicity oral (LD<sub>50</sub>  
mg/kg)** 1,880.0

**Species** Rat

**ATE oral (mg/kg)** 1,880.0

**Acute toxicity - dermal**

**Acute toxicity dermal (LD<sub>50</sub>  
mg/kg)** 1,500.0

**Species** Rabbit

**ATE dermal (mg/kg)** 1,500.0

**Specific target organ toxicity - repeated exposure**

**STOT - repeated exposure** LOAEL 94 mg/kg, Oral, Rat

**EPOXY PHENOL NOVOLAK RESIN****Acute toxicity - oral**

**Acute toxicity oral (LD<sub>50</sub>  
mg/kg)** 5,000.0

**Species** Rat

**Acute toxicity - dermal**

**Acute toxicity dermal (LD<sub>50</sub>  
mg/kg)** 2,000.0

**Species** Rat

**Acute toxicity - inhalation**

**Acute toxicity inhalation  
(LC<sub>50</sub> gases ppmV)** 0.00001

**Species** Rat

**ATE inhalation (gases  
ppm)** 0.00001

**Skin corrosion/irritation**

**EL16/1453 W LV**

<b>Animal data</b>	Slightly irritating.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Slightly irritating.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	No evidence of carcinogenicity in animal studies.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	No evidence of reproductive toxicity in animal studies.
.	
<b>Inhalation</b>	No specific health hazards known.
<b>Ingestion</b>	May cause discomfort if swallowed.
<b>Skin contact</b>	Irritating to skin. May cause sensitisation by skin contact.
<b>Eye contact</b>	Irritating to eyes.

**SECTION 12: Ecological Information**

**Ecotoxicity** The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

**12.1. Toxicity**

<b>Acute toxicity - fish</b>	Not determined.
<b>Acute toxicity - aquatic invertebrates</b>	Not determined.
<b>Acute toxicity - aquatic plants</b>	Not determined.
<b>Acute toxicity - microorganisms</b>	Not determined.
<b>Acute toxicity - terrestrial</b>	Not determined.
<b>Chronic toxicity - fish early life stage</b>	Not determined.
<b>Short term toxicity - embryo and sac fry stages</b>	Not determined.
<b>Chronic toxicity - aquatic invertebrates</b>	Not determined.

**Ecological information on ingredients.****Reaction product of Phenol formaldehyde novolac with Epichlorohydrin**

<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 5.7 mg/l, Fish
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 3.5 mg/l, Daphnia magna

**2-(2-BUTOXYETHOXY)ETHANOL**

**EL16/1453 W LV**

<b>Acute toxicity - fish</b>	LC50, 96 hours: > 100 mg/l, Leuciscus idus (Golden orfe)
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: > 100 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	IC <sub>50</sub> , 72 hours: > 50 mg/l, Freshwater algae

**2-BUTOXYETHYL ACETATE**

<b>Acute toxicity - fish</b>	LC50, 96 hours: 22 mg/l, Pimephales promelas (Fat-head Minnow) LC50, 96 hours: 28 mg/l, Onchorhynchus mykiss (Rainbow trout) REACH dossier information. REACH dossier information.
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 37 mg/l, Daphnia magna EC <sub>50</sub> , 48 hours: 180 mg/l, Daphnia magna REACH dossier information. REACH dossier information. EC <sub>50</sub> , 48 hours: 37mg/l mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC <sub>50</sub> , 72 hours: > 500 mg/l, Freshwater algae EC <sub>50</sub> , 72 hours: 520 mg/l, Freshwater algae REACH dossier information. REACH dossier information. IC <sub>50</sub> , 72 hours: >500mg/l mg/l, Algae
<b>Acute toxicity - microorganisms</b>	EC20, 30 minutes: 900 mg/l, Activated sludge REACH dossier information.
<b>Acute toxicity - terrestrial</b>	Not available.
<b>Chronic toxicity - fish early life stage</b>	Not available.
<b>Short term toxicity - embryo and sac fry stages</b>	Not available.
<b>Chronic toxicity - aquatic invertebrates</b>	Not available. , : ,

**EPOXY PHENOL NOVOLAK RESIN**

<b>Acute toxicity - fish</b>	LC50, 96 hours: 1.5 mg/l,
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 1.7 mg/l, Daphnia magna
<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, 21 days: 0.3 mg/l, Daphnia magna

**12.2. Persistence and degradability**

<b>Persistence and degradability</b>	This product is not expected to be readily biodegradable.
<b>Phototransformation</b>	Not determined.
<b>Stability (hydrolysis)</b>	Not determined.
<b>Biodegradation</b>	Not determined.

**EL16/1453 W LV**

**Biological oxygen demand** Not determined.

**Chemical oxygen demand** Not determined.

Ecological information on ingredients.2-BUTOXYETHYL ACETATE

<b>Persistence and degradability</b>	The product is biodegradable.
<b>Phototransformation</b>	No information required. Water - : REACH dossier information.
<b>Stability (hydrolysis)</b>	No information required. REACH dossier information.
<b>Biodegradation</b>	Degradation (%) Water - Degradation (%) 88: 28 days REACH dossier information. Water - Degradation (%) 97: 7 days REACH dossier information. Water - Degradation (%) 90: > 6.5 days REACH dossier information. The substance is readily biodegradable.

EPOXY PHENOL NOVOLAK RESIN

**Biodegradation** - Degradation (%) 5: 28 days

12.3. Bioaccumulative potential

**Bioaccumulative potential** Not determined.

**Partition coefficient** Not determined.

Ecological information on ingredients.2-BUTOXYETHYL ACETATE

<b>Bioaccumulative potential</b>	REACH dossier information.
<b>Partition coefficient</b>	log Pow: 1.51 REACH dossier information.

EPOXY PHENOL NOVOLAK RESIN

**Bioaccumulative potential** Bioaccumulation is unlikely to be significant because of the low water-solubility of this product. BCF: 31,

12.4. Mobility in soil

**Adsorption/desorption coefficient** Not determined.

**Henry's law constant** Not determined.

**Surface tension** Not determined.

Ecological information on ingredients.2-BUTOXYETHYL ACETATE

**EL16/1453 W LV**

**Surface tension** Not available.

**EPOXY PHENOL NOVOLAK RESIN**

**Mobility** Not available.

**Adsorption/desorption coefficient** Not available. - Koc: @ °C

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

**Ecological information on ingredients.****2-BUTOXYETHYL ACETATE**

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria.

**EPOXY PHENOL NOVOLAK RESIN**

**Results of PBT and vPvB assessment** This substance is not classified as PBT or vPvB according to current EU criteria.

**12.6. Other adverse effects**

**Other adverse effects** None known.

**Ecological information on ingredients.****EPOXY PHENOL NOVOLAK RESIN**

**Other adverse effects** None known.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**General information** Waste is classified as hazardous waste.

**Disposal methods** Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

**SECTION 14: Transport information**

**General** The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

**14.1. UN number****14.2. UN proper shipping name****14.3. Transport hazard class(es)****14.4. Packing group****14.5. Environmental hazards****14.6. Special precautions for user****14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

**EL16/1453 W LV**

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

<b>National regulations</b>	Control of Substances Hazardous to Health Regulations 2002 (as amended). The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"]. Health and Safety at Work etc. Act 1974 (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.
<b>EU legislation</b>	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Dangerous Preparations Directive 1999/45/EC. Dangerous Substances Directive 67/548/EEC.
<b>Health and environmental listings</b>	None of the ingredients are listed.
<b>Authorisations (Title VII Regulation 1907/2006)</b>	No specific authorisations are known for this product.
<b>Restrictions (Title VIII Regulation 1907/2006)</b>	No specific restrictions on use are known for this product.

**15.2. Chemical safety assessment**

No chemical safety assessment has been carried out.

**SECTION 16: Other information**

<b>Classification procedures according to Regulation (EC) 1272/2008</b>	: Calculation method.
<b>Issued by</b>	HS&E Manager.
<b>Revision date</b>	15/06/2017
<b>Revision</b>	9
<b>Supersedes date</b>	22/02/2017
<b>SDS number</b>	20294
<b>Risk phrases in full</b>	Not classified. R50/53 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

## EL16/1453 W LV

### **Hazard statements in full**

H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H315 Causes skin irritation.  
H317 May cause an allergic skin reaction.  
H319 Causes serious eye irritation.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.