

SAFETY DATA SHEET

EMP110/6092 W LED

According to Regulation (EC) No 1907/2006, Annex II, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name EMP110/6092 W LED

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Printing ink.

Uses advised against No specific uses advised against are identified.

1.3. Details of the supplier of the safety data sheet

Supplier Electra Polymers Ltd
Roughway Mill,
Roughway Lane
Tonbridge
Kent TN11 9SG
UK
Tel: +44 1732 811118
Fax: +44 1732 811119
sds@electrapolymers.com

1.4. Emergency telephone number

Emergency telephone +44 (0)1732 811 118 (08.30 - 17.00 GMT)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Skin Sens. 1 - H317

Environmental hazards Not Classified

2.2. Label elements

Hazard pictograms



Signal word Warning

Hazard statements H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

Precautionary statements P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.
P333+P313 If skin irritation or rash occurs: Get medical advice/ attention.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with national regulations.

Contains Ethoxylated (3) trimethylolpropane triacrylate, PHENYL BIS(2,4,6-TRIMETHYLBENZOYL)-PHOSPHINE OXIDE, Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide

EMP110/6092 W LED

Supplementary precautionary statements

P261 Avoid breathing vapour/ spray.
 P264 Wash contaminated skin thoroughly after handling.
 P272 Contaminated work clothing should not be allowed out of the workplace.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P321 Specific treatment (see medical advice on this label).
 P332+P313 If skin irritation occurs: Get medical advice/ attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. May cause skin sensitisation or allergic reactions in sensitive individuals.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

| | |
|---|--|
| 2-(2-Ethoxyethoxy)ethyl acetate | 10-30% |
| CAS number: 112-15-2 | EC number: 203-940-1 |
| | REACH registration number: 01-2119966911-29-XXXX |
| Classification | |
| Skin Irrit. 2 - H315 | |
| Eye Irrit. 2 - H319 | |
| Methoxypropoxypropanol | 1-5% |
| CAS number: 34590-94-8 | EC number: 252-104-2 |
| | REACH registration number: 01-2119450011-60-XXXX |
| Classification | |
| Not Classified | |
| Ethoxylated (3) trimethylolpropane triacrylate | 1-5% |
| CAS number: 28961-43-5 | EC number: 500-066-5 |
| Classification | |
| Eye Irrit. 2 - H319 | |
| Skin Sens. 1 - H317 | |
| PHENYL BIS(2,4,6-TRIMETHYLBENZOYL)-PHOSPHINE OXIDE | 1-5% |
| CAS number: 162881-26-7 | EC number: 423-340-5 |
| Classification | |
| Skin Sens. 1 - H317 | |
| Aquatic Chronic 4 - H413 | |

EMP110/6092 W LED

| | |
|--|------------------------|
| Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide | 1-5% |
| CAS number: 75980-60-8 | EC number: 278-355-8 |
| Classification | |
| Skin Sens. 1B - H317 | |
| Repr. 2 - H361fd | |
| Aquatic Chronic 2 - H411 | |
| HEPTANE | <0.1% |
| CAS number: 142-82-5 | EC number: 205-563-8 |
| M factor (Acute) = 1 | M factor (Chronic) = 1 |
| Classification | |
| Flam. Liq. 2 - H225 | |
| Skin Irrit. 2 - H315 | |
| STOT SE 3 - H336 | |
| Asp. Tox. 1 - H304 | |
| Aquatic Acute 1 - H400 | |
| Aquatic Chronic 1 - H410 | |

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

| | |
|----------------------------|--|
| General information | Get medical attention if any discomfort continues. Treat symptomatically. |
| Inhalation | Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues. |
| Ingestion | Do not induce vomiting. Get medical attention if any discomfort continues. |
| Skin contact | Wash skin thoroughly with soap and water. Get medical attention if irritation persists after washing. Take off contaminated clothing and wash it before reuse. |
| Eye contact | Remove contact lenses, if present and easy to do. Continue rinsing. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. |

4.2. Most important symptoms and effects, both acute and delayed

| | |
|----------------------------|--|
| General information | Treat symptomatically. |
| Inhalation | No specific symptoms known. May cause respiratory irritation. |
| Ingestion | No specific symptoms known. May cause irritation. |
| Skin contact | Causes skin irritation. May cause sensitisation by skin contact. |
| Eye contact | Causes serious eye irritation. |

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor No specific recommendations.

SECTION 5: Firefighting measures

5.1. Extinguishing media

EMP110/6092 W LED

Suitable extinguishing media Extinguish with foam, carbon dioxide, dry powder or water fog.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards None.

Hazardous combustion products Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting No specific firefighting precautions known.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. No smoking, sparks, flames or other sources of ignition near spillage.

6.2. Environmental precautions

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Avoid the spillage or runoff entering drains, sewers or watercourses. Contain spillage with sand, earth or other suitable non-combustible material.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb spillage with non-combustible, absorbent material. Collect and place in suitable waste disposal containers and seal securely.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid inhalation of vapours and spray/mists. Wear protective clothing, gloves, eye and face protection.

Advice on general occupational hygiene Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash after use and before eating, smoking and using the toilet. Remove contaminated clothing and protective equipment before entering eating areas.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from heat, sparks and open flame. Store in tightly-closed, original container. Protect from freezing and direct sunlight.

Storage class Miscellaneous hazardous material storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

EMP110/6092 W LED

8.1. Control parameters

Occupational exposure limits

Methoxypropoxypropanol

Long-term exposure limit (8-hour TWA): WEL 50 ppm 308 mg/m³

Sk

HEPTANE

Long-term exposure limit (8-hour TWA): WEL 500 ppm

Short-term exposure limit (15-minute): WEL

WEL = Workplace Exposure Limit

Sk = Can be absorbed through the skin.

Methoxypropoxypropanol (CAS: 34590-94-8)

| | |
|-------------|--|
| DNEL | Workers - Dermal; Long term systemic effects: 283 mg/kg Workers - Inhalation; Long term systemic effects: 308 mg/kg |
| PNEC | - Fresh water; 19 mg/l - marine water; 1.9 mg/l - Intermittent release; 190 mg/l - STP; 4168 mg/l - Sediment (Freshwater); 70.2 mg/l - Sediment (Marinewater); 7.02 mg/l - Soil; 2.74 mg/l |

Ethoxylated (3) trimethylolpropane triacrylate (CAS: 28961-43-5)

| | |
|-------------|--|
| DNEL | Industry - Dermal; Long term systemic effects: 0.8 mg/m ³ |
|-------------|--|

PHENYL BIS(2,4,6-TRIMETHYLBENZOYL)-PHOSPHINE OXIDE (CAS: 162881-26-7)

| | |
|-------------|---|
| DNEL | Workers - Inhalation; Long term, Short term systemic effects: 21 mg/m ³ Workers - Dermal; Long term, Short term systemic effects: 3.3 mg/kg Consumer - Inhalation; Long term systemic effects: 5.2 mg/m ³ Consumer - Dermal; Long term systemic effects: 1.5 mg/kg Consumer - Oral; Long term systemic effects: 1.5 mg/kg |
|-------------|---|

Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (CAS: 75980-60-8)

| | |
|-------------|---|
| DNEL | Industry - Inhalation; Long term systemic effects: 3.5 mg/m ³ Industry - Dermal; Long term systemic effects: 1 mg/m ³ |
| PNEC | - Fresh water; 0.00353 mg/l - marine water; 0.000353 mg/l - Intermittent release; 0.0353 mg/l - Sediment (Freshwater); 0.29 mg/kg - Sediment (Marinewater); 0.029 mg/kg - Soil; 0.0557 mg/kg |

8.2. Exposure controls

Protective equipment



EMP110/6092 W LED

| | |
|---|---|
| Appropriate engineering controls | Provide adequate general and local exhaust ventilation. |
| Eye/face protection | Wear eye protection. |
| Hand protection | Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. Wear protective gloves made of the following material: Butyl rubber. Nitrile rubber. Neoprene. Polyvinyl chloride (PVC). Laminate of polyethylene and ethylene vinyl alcohol (PE/EVOH). |
| Other skin and body protection | Wear apron or protective clothing in case of contact. |
| Hygiene measures | Do not eat, drink or smoke when using this product. Use engineering controls to reduce air contamination to permissible exposure level. Wash after use and before eating, smoking and using the toilet. Provide eyewash station. Wash contaminated clothing before reuse. |
| Respiratory protection | No specific requirements are anticipated under normal conditions of use. |
| Environmental exposure controls | Residues and empty containers should be taken care of as hazardous waste according to local and national provisions. Prevent spillage entering a watercourse or sewer, contaminating soil or vegetation. If this is not possible notify police and appropriate authorities immediately. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|-----------------|
| Appearance | Liquid. |
| Colour | White. |
| Odour threshold | Not determined. |
| pH | Not determined. |
| Melting point | Not determined. |
| Initial boiling point and range | Not determined. |
| Flash point | Not determined. |
| Evaporation rate | Not determined. |
| Evaporation factor | Not determined. |
| Flammability (solid, gas) | Not determined. |
| Upper/lower flammability or explosive limits | Not determined. |
| Other flammability | Not determined. |
| Vapour pressure | Not determined. |
| Vapour density | Not determined. |
| Relative density | Not determined. |
| Bulk density | Not determined. |
| Solubility(ies) | Not determined. |
| Partition coefficient | Not determined. |
| Auto-ignition temperature | Not determined. |
| Decomposition Temperature | Not determined. |

EMP110/6092 W LED

| | |
|---|---|
| Viscosity | Kinematic viscosity > 20.5 mm ² /s. |
| Explosive properties | Not considered to be explosive. |
| Explosive under the influence of a flame | No |
| Oxidising properties | The mixture itself has not been tested but none of the ingredient substances meet the criteria for classification as oxidising. |
| Comments | Information given is applicable to the product as supplied. |
| <u>9.2. Other information</u> | |
| Other information | None. |
| Refractive index | Not determined. |
| Particle size | Not applicable. |
| Molecular weight | Not applicable. |
| Volatility | Not determined. |
| Saturation concentration | Not determined. |
| Critical temperature | Not determined. |
| Volatile organic compound | Not determined. |

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Conditions to avoid Keep away from heat, sparks and open flame. Avoid exposure to high temperatures or direct sunlight.

10.5. Incompatible materials

Materials to avoid Strong alkalis. Strong oxidising agents. Strong acids.

10.6. Hazardous decomposition products

Hazardous decomposition products Thermal decomposition or combustion products may include the following substances: Acrid smoke or fumes. Oxides of nitrogen. Oxides of carbon.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - dermal

Notes (dermal LD₅₀) Based on available data the classification criteria are not met.

Acute toxicity - inhalation

Notes (inhalation LC₅₀) Based on available data the classification criteria are not met.

EMP110/6092 W LED

Skin corrosion/irritation

Animal data No information available.

Human skin model test No information available.

Extreme pH Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye irritation.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Genotoxicity - in vivo Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met. Does not contain any substances known to be carcinogenic.

Reproductive toxicity

Reproductive toxicity - fertility Contains an ingredient listed as: Suspected of damaging fertility.

Reproductive toxicity - development Contains an ingredient listed as: Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

STOT - single exposure Based on available data the classification criteria are not met.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Based on available data the classification criteria are not met.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information

The product contains small amounts of organic solvents. Extensive use of the product in areas with inadequate ventilation may result in the accumulation of hazardous vapour concentrations.

Inhalation No specific health hazards known. May cause respiratory system irritation.

Ingestion No specific health hazards known. May cause discomfort if swallowed.

Skin contact May cause sensitisation by skin contact.

Eye contact Causes serious eye irritation.

Acute and chronic health hazards May cause skin sensitisation or allergic reactions in sensitive individuals.

Route of exposure Inhalation Skin absorption Skin and/or eye contact Ingestion

Target organs No specific target organs known.

Medical symptoms Symptoms following overexposure may include the following: Allergic rash. May cause discomfort if swallowed.

EMP110/6092 W LED

Medical considerations May cause allergic contact eczema.

SECTION 12: Ecological information

Ecotoxicity The product contains substances which are toxic to aquatic organisms and which may cause long-term adverse effects in the aquatic environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish Not determined.

Acute toxicity - aquatic invertebrates Not determined.

Acute toxicity - aquatic plants Not determined.

Acute toxicity - microorganisms Not determined.

Acute toxicity - terrestrial Not determined.

Chronic aquatic toxicity

Chronic toxicity - fish early life stage Not determined.

Short term toxicity - embryo and sac fry stages Not determined.

Chronic toxicity - aquatic invertebrates Not determined.

12.2. Persistence and degradability

Persistence and degradability This product is not expected to be readily biodegradable.

Phototransformation Not determined.

Stability (hydrolysis) Not determined.

Biodegradation Not determined.

Biological oxygen demand Not determined.

Chemical oxygen demand Not determined.

12.3. Bioaccumulative potential

Bioaccumulative potential Not determined.

Partition coefficient Not determined.

12.4. Mobility in soil

Adsorption/desorption coefficient Not determined.

Henry's law constant Not determined.

Surface tension Not determined.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

EMP110/6092 W LED

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste is classified as hazardous waste.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Residues and empty containers should be taken care of as hazardous waste according to local and national provisions.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

**Annex II of MARPOL 73/78
and the IBC Code**

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Control of Substances Hazardous to Health Regulations 2002 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
Health and Safety at Work etc. Act 1974 (as amended).
Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments.

EMP110/6092 W LED

| | |
|--|--|
| EU legislation | Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). |
| Health and environmental listings | None of the ingredients are listed. |
| Authorisations (Annex XIV Regulation 1907/2006) | No specific authorisations are known for this product. |
| Restrictions (Annex XVII Regulation 1907/2006) | No specific restrictions on use are known for this product. |

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

| | |
|---|---|
| Classification procedures according to Regulation (EC) 1272/2008 | : Calculation method. |
| Issued by | HS&E Manager. |
| Revision date | 17/10/2019 |
| Revision | 1 |
| SDS number | 20855 |
| Hazard statements in full | H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness. H361fd Suspected of damaging fertility. Suspected of damaging the unborn child. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. |

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.